

marble
exclusive
collection



JEWELS

floor
Koru Nut KO04 Chevron NAT SQ ~ 20x120 - 8"x48"
wall
Calacatta reale JW 02 LUC SQ ~ 120x240 - 48"x96"





floor
Signature Havana SI 04 NAT SQ ~ 20x120 - 8"x48"

wall
Signature Havana SI 04 NAT SQ ~ 20x120 - 8"x48"
Calacatta Reale JW 02 LUC SQ ~ 60x119,7 - 24"x48"

decor
Calacatta Reale JW 02 Mosaico 3D LUC ~ 30x30 - 12"x12"



floor

Bianco Lunensis JW12 LUC SQ ~ 30x60 - 12"x24"
Black Gold JW 11 Listello LUC ~ 7x60 - 2"x24"
Black Gold JW 11 Mosaico 144T LUC 30x30 - 12"x12"

wall

Bianco Lunensis JW12 LUC SQ ~ 15x60 - 6"x24"
Bianco Lunensis JW12 Mosaico 36T LUC SQ ~ 30x30 - 12"x12"
Bianco Lunensis JW12 Mosaico 144T LUC ~ 30x30 - 12"x12"
Bianco Lunensis JW12 Matita LUC ~ 2x30 - 4/5"x12"



floor
Calacatta Reale JW 02 LUC SQ ~ 60x60 - 24"x24"

wall
Calacatta Reale JW 02 LUC SQ ~ 15x60 - 6"x24"
Calacatta Reale JW 02 Mosaico Decoro LUC ~ 30x30 - 12"x12"



floor

Calacatta Reale JW 02 LUC SQ ~ 60x60 - 24"x24"

wall

Calacatta Reale JW 02 LUC SQ ~ 15x60 - 6"x24"

Calacatta Reale JW 02 Mosaico Decoro LUC ~ 30x30 - 12"x12"



floor
Elegant White JW09 LUC ~ 60x119,7 - 24"x48"

counter
Elegant White JW09 LUC ~ 60x119,7 - 24"x48"

wall
Elegant White JW09 LUC ~ 60x119,7 - 24"x48"

KORU Apricot KO03 ~ 20x120 - 8"x48"

KORU Basket KO03-04 ~ 30x30 - 12"x12"





floor

Elegant White JW 09 LUC SQ ~ 60x119,7 - 24"x48"

wall

Elegant White JW 09 LUC SQ ~ 60x119,7 - 24"x48"

decor

Elegant White JW 09 Mosaico 144 tessere LUC ~ 30x30 - 12"x12"

Bacchetta Glitter Oro ~ 0,5x60 - 1/5"x24"



floor

Elegant White JW 09 LUC SQ ~ 60x119,7 - 24"x48"

wall

Elegant White JW 09 LUC SQ ~ 60x119,7 - 24"x48"

decor

Elegant White JW 09 Mosaico 144 tessere LUC ~ 30x30 - 12"x12"

Bacchetta Glitter Oro ~ 0,5x60 - 1/5"x24"






CALACATTA REALE

JW02

▼ 6 mm ▲	160x320 63"x126" LUC
	160x160 63"x63" LUC
▼ 9 mm ▲	120x240 48"x96" LUC
	120x120 48"x48" LUC
▼ 10 mm ▲	60x119,7 24"x48" LUC / NAT
	60x60 24"x24" LUC / NAT
	30x60 12"x24" LUC /NAT / ST
	15x60 6"x24" LUC /NAT
▼ 12 mm ▲	162x324x1,2 63"x126" LS NO SQ ON DEMAND
▼ 20 mm ▲	120x240x2 48"x96" LS / LS NO SQ ON DEMAND



MOSAICS



mosaico 144
tessere 2,2x2,2
30x30 12"x12"
LUC



*mosaico 3D
tessere 5,5x5,5
28x28 11 1/5"x11 1/5"
LUC



mosaico 36T
tessere 4,8x4,8
30x30 12"x12"
NAT



mosaico decoro
tessere 2,2x2,2
30x30 12"x12"
LUC

WALL DECORS




Bacchetta Glitter Oro
0,5x60
1/5"x24"



Bacchetta Glitter Argento
0,5x60
1/5"x24"

Plant
30x119,7
12"x48"

FLOOR & WALL DECORS



Listello
7x60
2 4/5"x24"
LUC



Tozzetto
7x7
2 4/5"x2 4/5"
LUC

Carpet
60x60
24"x24"
LUC

MORE DETAILS

ST



SUPERFICI FINISHES
LUC
LUCIDA GLOSSY

NAT
NATURALE NATURAL NO R9


ST
STRUTTURATA STRUCTURED R10

*Prodotto adatto per applicazione a rivestimento - Product designed for use on wall

STUCCHI CONSIGLIATI
RECOMMENDED GROUTS



MAPEI 111 Grigio Argento



KERAKOLL 02 Grigio Luce



TUSCANY WHITE

JW13

▼ 6 mm ▲		160x320 63"x126" LUC
		160x160 63"x63" LUC
▼ 9 mm ▲		120x240 48"x96" LUC
		120x120 48"x48" LUC
▼ 10 mm ▲		60x119,7 24"x48" LUC / NAT
		60x60 24"x24" LUC / NAT
		30x60 12"x24" LUC / NAT
		15x60 6"x24" LUC / NAT
▼ 12 mm ▲		162x324x1,2 63"x126" LS NO SQ ON DEMAND
		120x240x2 48"x96" LS / LS NO SQ ON DEMAND



MOSAICS



mosaico144
tessere 2,2x2,2
30x30 12"x12"
NAT



*mosaico 36T
tessere 4,8x4,8
30x30 12"x12"
NAT

WALL DECORS



Bacchetta Glitter Oro
0,5x60
1/5"x24"



Bacchetta Glitter Argento
0,5x60
1/5"x24"

FLOOR & WALL DECORS



Listello
7x60
2 4/5"x24"
LUC



Tozzetto
7x7
2 1/5"x2 1/5"
LUC

MORE DETAILS



SUPERFICI FINISHES
LUC
LUCIDA GLOSSY


NAT
NATURALE NATURAL

ST
STRUTTURATA STRUCTURED R10

STUCCHI CONSIGLIATI
RECOMMENDED GROUTS



MAPEI 111 Grigio Argento



KERAKOLL 02 Grigio Luce

*Prodotto adatto per applicazione a rivestimento - Product designed for use on wall



SENECA WHITE

JW 14

▼ 6 mm ▲	 160x320 63"x126" LUC
	 160x160 63"x63" LUC
▼ 9 mm ▲	 120x240 48"x96" LUC
	 120x120 48"x48" LUC
▼ 10 mm ▲	 60x119,7 24"x48" LUC / NAT
	 60x60 24"x24" LUC / NAT
	 30x60 12"x24" LUC /NAT / ST
	 15x60 6"x24" LUC /NAT
▼ 12 mm ▲	 162x324x1,2 63"x126" LS NO SQ ON DEMAND
▼ 20 mm ▲	 120x240x2 48"x96" LS / LS NO SQ ON DEMAND



MOSAICS



mosaico 144
tessera 2,2x2,2
30x30 12"x12"
LUC



*mosaico 36T
tessera 4,8x4,8
30x30 12"x12"
NAT

WALL DECORS



Bacchetta Glitter Oro
0,5x60
1/5"x24""



Bacchetta Glitter Argento
0,5x60
1/5"x24""

FLOOR & WALL DECORS



Listello
7x60
2 4/5"x24"
LUC



Tozzetto
7x7
2 4/5"x2 4/5"
LUC


MORE DETAILS




SUPERFICI FINISHES
LUC
LUCIDA GLOSSY

NAT
NATURALE NATURAL

STUCCHI CONSIGLIATI
RECOMMENDED GROUTS



MAPEI 100 Bianco



KERAKOLL 01 Bianco

*Prodotto adatto per applicazione a rivestimento - Product designed for use on wall

J.

													
													
	Spessore - Thickness	6 mm	12 mm	6 mm	9 mm	9 mm	10 mm	10 mm	10 mm	10 mm	10 mm	20 mm	
	Superficie - Surface	LUC SQ	LS NO SQ	LUC SQ	LUC SQ	LUC SQ	NAT / LUC SQ	NAT / LUC SQ	NA T / LUC SQ	ST / SQ SQ	NAT / LUC SQ	LS/LS NO SQ	
	JW01	A	ON DEMAND*	A	A	A	A	A	A	—	A	*ON DEMAND	
	JW02	A	ON DEMAND*	A	A	A	A	A	A	A	A	*ON DEMAND	
	JW12	A	ON DEMAND*	A	A	A	A	A	A	A	A	A	
	JW13	A	ON DEMAND*	A	A	A	A	A	A	A	A	*ON DEMAND	
	JW14	A	ON DEMAND*	A	A	A	A	A	A	—	A	*ON DEMAND	
	JW03	A	ON DEMAND*	A	A	A	A	A	A	—	A	*ON DEMAND	
	JW15	A	ON DEMAND*	A	A	A	A	A	A	—	A	*ON DEMAND	
	JW16	—	—	—	A	A	A	A	A	—	A	*ON DEMAND	
	JW06	—	—	—	A	A	A	A	A	—	A	*ON DEMAND	
	JW10	—	—	—	—	—	A	A	A	—	A	*ON DEMAND	
	JW04	—	—	—	—	—	A	A	A	—	A	*ON DEMAND	
	JW09	—	—	—	—	—	A	A	A	—	A	*ON DEMAND	
	JW18	—	—	—	—	—	A	A	A	—	A	*ON DEMAND	
	JW19	—	—	—	—	—	A	A	A	—	A	*ON DEMAND	
	JW05	A	—	—	—	—	—	A	A	—	A	*ON DEMAND	
	JW11	A	—	—	—	—	—	A	A	—	A	*ON DEMAND	
	JW17	A	—	—	—	—	—	A	A	—	A	*ON DEMAND	
	Peso lordo per scatola Gross weight per box	PLEASE REFER TO PAGE 226			PLEASE REFER TO PAGE 224			33,35	24,18	24,18	24,18	19,73	PLEASE REFER TO PAGE 224
	Pezzi per scatola Pieces for box							2	3	6	6	12	
	Mq. scatola Mq. box							1,436	1,081	1,08	1,08	1,08	
	Scatole per full pallet Boxes per full pallet							15	40	40	40	48	
	Mq./pallet							21,54	43,20	43,20	43,20	51,84	


*Per lotto di produzione minimo / For a minimum production lot

							
		Mosaico 36T 30x30 12"x12"	Mosaico 144 30x30 12"x12"	Mosaico 3D 28x28 11 ¹ / ₅ "x11 ¹ / ₅ "	Mos. Decoro 30x30 12"x12"	Listello 7x60 4 ¹ / ₅ "x2"	Tozzetto 7x7 4 ¹ / ₅ "x4 ¹ / ₅ "
	Spessore - ThicknessS						
	Superficie - SurfaceØ	NAT	LUC	LUC	LUC	LUC	LUC
	JW01	A	A	A	—	A	A
	JW02	A	A	A	A	A	A
	JW12	A	A	A	—	A	A
	JW13	A	A	—	—	A	A
	JW14	A	A	—	—	A	A
	JW03	A	A	A	A	A	A
	JW15	A	A	—	—	A	A
	JW16	A	A	—	—	A	A
	JW06	A	A	A	A	A	A
	JW10	A	A	A	—	A	A
	JW04	A	A	A	—	A	A
	JW09	A	A	A	—	A	A
	JW18	A	A	—	—	A	A
	JW19	A	A	—	—	A	A
	JW05	A	A	A	—	A	A
	JW11	A	A	A	—	A	A
	JW17	A	A	—	—	A	A
	Pezzi per scatola Pieces for box	6	6	4	4	10	16

									
									
	Zoccolo 15x30 6"x12"	Zoccolo Ang. Est. 2x15 6"x12"	Matita 2x30 4/5"x12"	Matita Ang. Est. 2x2 4/5"x4/5"	London 5x30 2"x12"	London Ang. Est. 2x5 4/5"x2"	Spigolo 1x30 2/5"x12"	Spigolo Ang. Est. 1x1 2/5"x2/5"	
	Spessore - Thickness								
	Superficie - Surface	LUC	LUC	LUC	LUC	LUC	LUC	LUC	LUC
	JW01	A	A	A	A	A	A	A	A
	JW02	A	A	A	A	A	A	A	A
	JW12	A	A	A	A	A	A	A	A
	JW13	A	A	A	A	A	A	A	A
	JW14	A	A	A	A	A	A	A	A
	JW03	A	A	A	A	A	A	A	A
	JW15	A	A	A	A	A	A	A	A
	JW16	A	A	A	A	A	A	A	A
	JW06	A	A	A	A	A	A	A	A
	JW10	A	A	A	A	A	A	A	A
	JW04	A	A	A	A	A	A	A	A
	JW09	A	A	A	A	A	A	A	A
	JW18	A	A	A	A	A	A	A	A
	JW19	A	A	A	A	A	A	A	A
	JW05	A	A	A	A	A	A	A	A
	JW11	A	A	A	A	A	A	A	A
	JW17	A	A	A	A	A	A	A	A
	Pezzi per scatola Pieces for box	6	10	4	10	6	10	5	10

NAT: Naturale - Natural - Natur-unpoliert - Naturelle - Natural - Натуральный - 天然

LUC: Lucido - Glossy - Lucida - Lucida - Lustrado - Блестящая - 闪亮表面

											
	Battiscopa 7,2x60 27/8"x24"	Gradino A 30x60 12"x24"		Gradino G 30x60 12"x24"	Gradino B 33x60 131/5"x24"			Gradino Ang. B 33x33 131/5"x131/5"			
	Spessore - Thickness										
	Superficie - Surface	LUC	NAT	LUC	NAT	NAT	LUC	NAT	LUC	LUC	NAT
	JW01	A	A	A	A	A	A	A	A	A	A
	JW02	A	A	A	A	A	A	A	A	A	A
	JW12	A	A	A	A	A	A	A	A	A	A
	JW13	A	A	A	A	A	A	A	A	A	A
	JW14	A	A	A	A	A	A	A	A	A	A
	JW03	A	A	A	A	A	A	A	A	A	A
	JW15	A	A	A	A	A	A	A	A	A	A
	JW16	A	A	A	A	A	A	A	A	A	A
	JW06	A	A	A	A	A	A	A	A	A	A
	JW10	A	A	A	A	A	A	A	A	A	A
	JW04	A	A	A	A	A	A	A	A	A	A
	JW09	A	A	A	A	A	A	A	A	A	A
	JW18	A	A	A	A	A	A	A	A	A	A
	JW19	A	A	A	A	A	A	A	A	A	A
	JW05	A	A	A	A	A	A	A	—	A	A
	JW11	A	A	A	A	A	A	A	A	A	A
	JW17	A	A	A	A	A	A	A	—	A	A
	Pezzi per scatola Pieces for box	10	10	7	7	7	4	4	2	4	4

STANDARD EN 14411 - G

	CARATTERISTICHE TECNICHE TECHNICAL DATA TECHNISCHE DATEN CARACTERISTIQUES TECHNIQUES CARACTERÍSTICAS TÉCNICAS ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ	NORMA STANDARD NORM NORME NORMA ЗНАЧЕНИЯ	VALORI PRESCRITTI DALLE NORME EN 14411 - G INTERNATIONAL STANDARDS EN 14411 - G INTERNATIONALE NORMWERTE EN 14411 - G VALEURS PREVUES PAR LES NORMES EN 14411 - G VALORES PREVISTOS POR LAS NORMAS EN 14411 - G ПРЕДУСМОТРЕННЫЕ СТАНДАРТОМ EN 14411-G	*VALORE MEDIO MIRAGE MIRAGE AVERAGE VALUE MIRAGE MITTELWERT VALEURS MOYEN MIRAGE VALOR MEDIO MIRAGE СРЕДНЕЕ ЗНАЧЕНИЕ MIRAGE		
	CARATTERISTICHE DIMENSIONALI - SIZE CHARACTERISTICS - MASSEIGENSCHAFTEN - DETERMINATION DES CARACTERISTIQUES DIMENSIONNELLES - CHARACTERÍSTICAS DIMENSIONALES - РАЗМЕРНЫЕ ХАРАКТЕРИСТИКИ			NAT (UGL)	ST (UGL)	LUC (GL)
	LATI SIDES - SEITEN COTES - CANTOS РАЗМЕРЫ СТОРОН	EN ISO 10545-2	± 0,3% MAX (± 1,0 mm MAX)	CONFORME COMPLYING		
	SPESSORE THICKNESS - DICKE ÉPAISSEUR - ESPESOR ТОЛЩИНА	EN ISO 10545-2	± 5,0% MAX (± 0,5 mm MAX)	CONFORME COMPLYING		
	RETTILINEITÀ DEGLI SPIGOLI STRAIGHTNESS OF SIDES - GERADLINIGKEIT DER KANTEN RECTITUDE DES ARETES - RECTITUD DE LOS CANTOS КОСОУГОЛЬНОСТЬ	EN ISO 10545-2	± 0,3% MAX (± 0,8 mm MAX)	CONFORME COMPLYING		
	ORTOGONALITÀ RECTANGULARITY - RECHTWINKLIGKEIT PERPENDICULARITÉ - ORTOGONALIDAD КРИВИЗНА СТОРОН	EN ISO 10545-2	± 0,3% MAX (± 1,5 mm MAX)	CONFORME COMPLYING		
	PLANARITÀ SURFACE FLATNESS - EBENFLÄCHIGKEIT PLANEITE DE SURFACE - PLANEIDAD КРИВИЗНА ЛИЦЕВОЙ ПОВЕРХНОСТИ	EN ISO 10545-2	± 0,4% MAX (± 1,8 mm MAX)	CONFORME COMPLYING		
	ASSORBIMENTO D'ACQUA WATER ABSORPTION - WASSERAUFNAHME ABSORPTION D'EAU - ABSORCIÓN DE AGUA ВОДОПОГЛОЩЕНИЕ	EN ISO 10545-3	≤ 0,5%	0,04%	0,04%	0,04%
	RESISTENZA ALLA FLESSIONE FLEXION RESISTANCE - BIEGEFESTIGKEIT RESISTANCE A LA FLEXION - RESISTENCIA A LA FLEXIÓN ПРЕДЕЛ ПРОЧНОСТИ ПРИ ИЗГИБЕ	EN ISO 10545-4	S ≥ 700 N (< 7,5 mm) S ≥ 1.300 N (> 7,5 mm) R ≥ 35 N/mm².	6 mm S 1300 N R 50 N/mm2	9 mm S 2500 N R 50 N/mm2	12 mm S 4500 N R≥49 N/mm2
	RESISTENZA ALL'URTO IMPACT RESISTANCE - STOSSFESTIGKEIT RESISTANCE AUX CHOCs - RESISTENCIA A LOS GOLPES УДАРООСТОЙКОСТЬ	EN ISO 10545-5	VALORE DICHIARATO DECLARED VALUE	0,89	0,89	0,89
	RESISTENZA ALL'ABRASIONE ABRASION RESISTANCE - ABRIEBFESTIGKEIT RESISTANCE A L'ABRASION - RESISTENCIA A LA ABRASIÓN СТОЙКОСТЬ К ИСТИРАНИЮ	EN ISO 10545-6	≤ 175 mm³	139 mm³	139 mm³	139 mm³
	COEFFICIENTE DI DILATAZIONE TERMICA LINEARE COEFFICIENT OF LINEAR THERMAL EXPANSION - LINEARER WÄRMEAUDEHNUNGSKOEFFIZIENT - COEFFICIENT DE DILATATION THERMIQUE LINEAIRE - COEFICIENTE DE DILATACION TÉRMICA LINEAL - КОЭФФИЦИЕНТ ЛИНЕЙНОГО ТЕРМИЧЕСКОГО РАСТЯЖЕНИЯ	EN ISO 10545-8	—	α=6,2x10 ⁻⁶ °C ⁻¹	α=6,2x10 ⁻⁶ °C ⁻¹	α=6,2x10 ⁻⁶ °C ⁻¹
	RESISTENZA AGLI SBALZI TERMICI RESISTANCE TO THERMAL SHOCKS - BESTÄNDIGKEIT GEGEN TEMPERATURSCHWANKUNGEN - RESISTANCE AUX CHOCs THERMIQUES - RESISTENCIA A LOS CHOQUES TÉRMICOS - СТОЙКОСТЬ К ПЕРЕПАДАМ ТЕМПЕРАТУРЫ	EN ISO 10545-9	TEST SUPERATO SECONDO EN ISO 10545-1 PASS ACCORDING EN ISO 10545-1	NESSUN DANNO NO DAMAGE		
	RESISTENZA AL GELO FROST RESISTANCE - FROSTBESTÄNDIGKEIT RESISTANCE AU GEL - RESISTENCIA AL HIELO МОРОЗОСТОЙКОСТЬ	EN ISO 10545-12	TEST SUPERATO SECONDO EN ISO 10545-1 PASS ACCORDING EN ISO 10545-1	NESSUN DANNO NO DAMAGE		
	RESISTENZA ALL'ATTACCO CHIMICO RESISTANCE TO CHEMICALS - CHEMIKALIENBESTÄNDIGKEIT RESISTANCE A L'ATTAQUE CHIMIQUE - RESISTENCIA QUÍMICA ХИМИЧЕСКАЯ СТОЙКОСТЬ	EN ISO 10545-13	UB MIN.	UA ULA UHA	UA ULA UHA	GA GLA
	RESISTENZA ALL'ABRASIONE SUPERFICIALE SURFACE ABRASION RESISTANCE - ABRIEBFESTIGKEIT DER OBERFLÄCHE - RÉSISTANCE À L'ABRASION SUPERFICIELLE - RESISTENCIA A LA ABRASIÓN SUPERFICIAL - ХИМИЧЕСКАЯ СТОЙКОСТЬ	EN ISO 10545-7	—	-	-	PEI 5 (JW01-02-03-04-08-10-12-13-14-15-18) PEI 4 (JW07-08-16) PEI 3 (JW05-06-11-17)
	DUREZZA MOHS MOHS HARDNESS - HÄRTE MOHS DURETÉ MOHS - DUREZA DE MOHS ТВЕРДОСТЬ ПО МООСУ	EN ISO 10545-14	VALORE DICHIARATO DECLARED VALUE	6	6	5
	RESISTENZA ALLE MACCHIE RESISTANCE TO STAINS - FLECKENBESTÄNDIGKEIT RESISTANCE AUX TACHES - RESISTENCIA A LAS MANCHAS УСТОЙЧИВОСТЬ К ПЯТНООБРАЗОВАНИЮ	EN ISO 10545-14	VALORE DICHIARATO DECLARED VALUE	5	5	5
				NAT	LUC	ST
	DM. 236/89 BCRA	> 0,40	> 0,40	-	-	-
	ASTM C1028	Dry SCOF > 0,60	-	-	-	-
	ASTM C1028	Wet SCOF > 0,60	-	-	-	-
	ANSI A137.1	Wet DCOF > 0,42	-	-	-	-
	AS 4586:2013	-	P1 (NO JW01-02-03-09-12)	-	-	-
	DIN 51130	-	P9 (NO JW01-02-03-09-12)	-	-	R10
	DIN 51097	-	A (NO JW01-02-03-09-12)	-	-	-
	ENV 12633	≥ CL1	CL1 (NO JW01-02-03-09-12)	-	-	-
	UNI EN 13036 - 4:2011	≥ 36	-	-	-	-
	SCIVOLOSITÀ SKID RESISTANCE - RUTSCHWERT GLISSANCE - ADHERENCIA СКОЛЬЗКОСТЬ					

Per i certificati specifici, contattare Mirage SpA - For specific certificates, please contact Mirage SPA - Für die speziellen Zertifikate wenden Sie sich bitte an Mirage SpA - Pour les certificats spécifiques, veuillez contacter Mirage SPA - Para los certificados específicos, contactar Mirage SPA - Для сертификатов обращайтесь в компанию Mirage SpA